

Cityhopper

M192




The City Hopper with its circular appearance and fun rocking capability, attracts and supports children's play again and again. The circular hand and foot rests allows for a variation of support heights, accommodating more age groups. The rocking sensation is a great movement response. Movement response is among the top play attractions for

children, it adds a feeling of control to the child's play. The responsive movement also trains the understanding of cause and effect in young children: that actions have an effect on the world. This stimulates logical thinking. Rocking the Cityhopper trains the child's sense of balance and space and also builds arm and leg muscles, holding tight and pushing feet

hard to increase speed. All of these basic motor and muscle skills build up the child's bodily cognition and life skills such as being able to navigate traffic securely.



Item no. M19201-01	
General Product Information	
Dimensions LxWxH	50x72x73 cm
Age group	2+
Play capacity (users)	1
Colour options	





Rocking together

Social-Emotional: the possibility of rocking two together trains cooperation skills. Consideration of others when rocking.



The circular hand and foot rest

Physical: the possibility to hold onto more areas of the handhold ensures a good grip, necessary for rocking intensely. This trains the hand and arm muscles. Rocking the food support intensely supports muscles and coordination.

Cityhopper

M192

Item no. M19201-01	
Installation Information	
Max. fall height	60 cm
Safety surfacing area	7.7 m²
Total installation time	1.5
Excavation volume	0.21 m³
Concrete volume	0.00 m³
Footing depth (standard)	42 cm
Shipment weight	34 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
EcoCore HDPE	Lifetime
Hot dip galvanised steel	Lifetime
Spare parts guaranteed	10 years
Springs	5 years

The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



Seats of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use, but is also made of +95% recycled post-consumer material from e.g., food packing waste in both core and colorful outer layer.



Sustainability Data

M192



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
M19201-01	76.26	2.62	45.13

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.


Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M19201
*60cm
**73cm
***7.7m²



M19201

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)