Giant 360 Swing with Nest

M983





Item no. M98301-1009			
General Product Information			
Dimensions LxWxH	651x750x454 cm		
Age group	6+		
Play capacity (users)	7		
Colour options			



The Giant Swing is an awe-inspiring piece that attracts children like a magnet. The multiple directions of swinging high awake the sense of wonder and causes the children to return time and time again. The spacious swing basket has room for many children to be seated, standing, or lying down. This makes the seat usable for all, with or without assistance. The wild swinging movements of the Giant swing train a child's sense of balance and space. These motor skills are fundamental for body awareness and spatial judgement, for instance when navigating securely in traffic. The major muscles get trained and bone density is increased when pushing, pulling and jumping off the Giant Swing. Social skills are improved when children negotiate and cooperate on the direction of swinging and in showing consideration for the limits of others.



Giant 360 Swing with Nest



10 years

M983



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Powder coated top finish on top of galvanisation is processed in two steps: Light grinding and clean sweeping, powder coating - thickness 70-120 $\mu m.$

Unique designed 360-degree rotating swing hanger made of stainless steel. The moving parts of the swing hanger is lifetime sealed and lubricated. The hanger system is equipped with a safety chain to prevent the swing hanger to fall down if damaged.

ltem no. M98301-1009		
Installation Information		
Max. fall height	1	179 cm
Safety surfacing area	6	1.4 m²
Number of installers		2
Total installation time		9.1
Excavation volume	1	.10 m³
Concrete volume	0.65 m³	
Footing depth (standard)	102 cm	
Shipment weight		892 kg
Anchoring options	In-ground	~
	Surface	~
Warranty Information		
Hot dip galvanised steel	L	ifetime
Swing seat	10 years	
Swing hangers	5 years	
Ropes & nets	10 years	



KOMPAN designed the bird's nest seats to be light in weight and in compliance with global safety standards. The soft, shock absorbent bumpers with non-slip surface makes the swing seat extremely user friendly. Choose between a rope version with reinforced PA rope or a moulded PE version. Both equipped with soft rubber bumpers.

The seat suspensions are available in stainless steel chain or rope. The ropes are made of UVstabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



The Giant Swing is available in multiple combinations through the digital KOMPAN product configurator: Galvanised steel with optional powder coated top finish in lime green colour, Rope or stainless-steel chain suspensions, In-ground or surface anchoring and rope or shell Birds Nets seat



Spare parts guaranteed

Sustainability

Cradle to Gate A1-A3

M98301-1009



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Validation of CO₂ calculation of: Freestanding play equipment



Data version no. 2021-09-27

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023 Validated by:

Bathar

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





Total CO2

emission

kg CO₂e

1.479.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle

Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Recycled

materials

%

47.70


CO₂e/kg

kg CO₂e/kg

2.74





M983





* Max fall height | ** Total height





Click to see TOP VIEW

4 / 02/14/2023