2-Seat Frame H:2.5m

KSW902



Item no. KSW902-0902 General Product Information Dimensions LxWxH 354x240x274 cm Age group 2+ Play capacity (users) -Colour options

KOMPAN swings can be configured to adapt individual needs & demands. All A-Frame swings are available in 2,0m and 2,5m height with posts of impregnated pine wood or hot dip galvanized steel. As seats we offer standard swing seat, cradle seat, toddler seat or bird nests with a diameter of ø100cm or 120cm. Further the seats are available with either hot dip galvanized chains or stainless steel chains and if preferred with antiwrap suspensions. The modular swing system also enable multibay configurations with 2,3,4 or more sections.





2-Seat Frame H:2.5m

KSW902



Item no. KSW902-0902			
Installation Information			
Number of installers	2		
Total installation time	4.1		
Excavation volume	1.30 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	90 cm		
Shipment weight	109 kg		
Anchoring options	In-ground 🗸		
Warranty Information			
warranty morna	ation		
Hot dip galvanised steel	Lifetime		
Movable parts	2 years		
Spare parts guaranteed	10 years		



Sustainability

Cradle to Gate A1-A3



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Validation of CO₂ calculation of: Freestanding play equipment



Data version no. 2021-09-27

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023 Validated by:

Bathar

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



	kg CO₂e	kg CO₂e/kg	%
KSW902-0902	213.90	2.09	33.90

Total CO2

emission

Recycled

materials

CO₂e/kg

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))