
PCM000121





Item no. PCM000121-0601

General Product Information

Dimensions LxWxH 121x42x77 cm
Age group 6m+
Play capacity (users) 4
Colour options










The Play Counter is full of WOW for young children: Loaded with play activities that will keep them playing. The scale is perfectly suited to the play of young children. The height of the openings and panels support e.g. the first steps, as the infant gets good grip support thanks to the holes and openings. The desk with opening supports social games such as

peek-a-boo. These games stimulate children socially as well as cognitively as they begin to understand that people and objects still exist when out of sight. The sphere is bright and runs in a groove. When the young child uses it there is an understanding of cause and effect. As the sphere moves on both sides, children will discover theory of mind and that others

may have other intentions then they do. This encourages cooperation and taking turns.






PCM000121





Two sides

Social-emotional: invites cooperation and communication. The low height and the transparency of the panel makes interaction possible between the two sides.









Play sphere

Social-emotional: can be played from both sides, encouraging cooperation.

Cognitive: cause and effect understanding.

Creative: leave a mark and place the spheres at different positions.




Desk

Social-emotional: fine meeting place and a space creator. Sharing and cooperation from both sides create a social scenario that supports communication and cooperation.

PCM000121




10 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled post consumer material from food packing waste.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post consumer recycled ocean waste.


Installation Information			
0 cm			
11.3 m2			
2			
3.1			
0.05 m3			
0.00 m3			
60 cm			
36 kg			
Warranty Information			
Lifetime			
10 years			



Spare parts guaranteed

Sustainability





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM000121-0601	66.80	2.44	61.50
PCM000121-0650	42.90	1.44	80.20

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Validation of CO2 calculation of: Play systems



Data version no. 2021-01-11

The CO² calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200309-0010.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023 Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO^2 calculation of play systems – Kompan, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15, October 2021

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



PCM000121



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

