

# Triple Play Tower





PCM311321




The amount of play value in the Triple Play Tower will inspire play again and again. The challenging play events centre around balancing, cross-coordination and thrilling gliding. Climbing helps train the children's upper-body muscles and cross-coordination. This is fundamental to navigate the world confidently and safely. The senses of balance

and space are tested on the level-spanning balance bridge and on the fun banister bars. On the other tower, a dare-devil fireman's pole brings children to the ground in a whizz. The big climbing net has meshes that allow for climbing through, yet another cross-coordination movement. The rungs are wide enough for children to have a seat and meet


and exchange. Pure fun and great training experiences in one play item.

Item no. PCM311321-0901	
General Product Information	
Dimensions LxWxH	487x460x380 cm
Age group	4+
Play capacity (users)	17
Colour options	   



# Triple Play Tower

PCM311321




Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled post consumer material from food packing waste.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and texture surface.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.



Ropes are made of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester wrapping is inductively melted onto each strand to obtain excellent wear and tear resistance.



The slides can be chosen in six different colors and tree materials: Straight or curved one-piece molded PE slides. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one-piece design for more vandalism proof solutions.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor. TexMade post, EcoCore™ panels of 100% post consumer recycled ocean waste and molded PP decks.

Item no. PCM311321-0901

## Installation Information

Max. fall height	224 cm
Safety surfacing area	48.5 m²
Number of installers	2
Total installation time	19.6
Excavation volume	0.77 m³
Concrete volume	0.17 m³
Footing depth (standard)	90 cm
Shipment weight	728 kg
Anchoring options	Surface ✓ In-ground ✓

## Warranty Information

EcoCore HDPE	Lifetime
PP Decks	10 years
Post	10 years
PE slide	10 years
Spare parts guaranteed	10 years





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>PCM311321-0901</b>	1,525.90	2.80	53.70
<b>PCM311321-0950</b>	1,125.30	1.68	75.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Validation of CO<sub>2</sub> calculation of: Play systems



Data version no. 2021-01-11

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200309-0010. (Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 15. October 2021 | Valid until: 15. October 2023**

**Validated by:**

*Bente Hviid*

Bente Hviid, Senior Consultant

*Peter Bendtsen*

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO<sub>2</sub> calculation of play systems – Kompan, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

**Publication date: 15. October 2021**

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000



# Triple Play Tower

PCM311321

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)