# **Technical Datasheet**

## SWING CANINE

ref. BCMC006













0.40 m

2 m2


x= 2.50 y= 0.68 z= 0.40






### **Equipment Information:**


















#### **Technical Information:**

1 - Balance Bar 🗓 0.40m



# B

#### **Vertical Posts**

**Wood:** Laminated pinewood classified with guarantee of quality by continuous internal control. With autoclave treatment, protecting it from attacks of fungus, insects and termites. Finishing on aqueous base ink, specially developed to protect the wood from humidity, weather and U.V.



#### **Panels**

**HDPE:** Monocolour/bicolour high density polyethylene. It is a polymer so it is characterized by its resistance to corrosion and chemical products. By its capacity of elasticity and lightweight, it offers high resistance to impacts, and, therefore, very difficult to break. The synthetic base prevents grow of bacterias and fungus. No need for maintenance;

**Marine plywood:** Non-slip, bonded with phenolic resins resistant to the weather and U.V., according to EL 314-2/classe 3 (DIN 68 TS TCIL3: BFU 100, BS 6566 PART 8: WBP);

#### **Metal parts**

**Tubes:** 

Stainless steel: AISI 304, Ø40mm;

#### **Fixation System:**

Type C - Standard fixation system composed by posts applied directly in the ground with concrete;

#### **Screws and accessories**

Screws: Galvanized steel or optionally stainless steel AISI 304;

Capsules: PP Polypropylene plastic;



