

# COMBI 4 PRO

FSW104

**KOMPAN**  
Let's play





Compact and complete street workout and callisthenics combination for training and competition. It features an incline bench, parallel bars, push up bar, decline press, Swedish ladder, human flagpole and pull up station. Seven workout stations in one, and all within only 41 m<sup>2</sup>. The 138cm wide pull up bars are designed to give plenty of space for

dynamic exercises and promote sideways exercises such as the typewriter pull up. The wide bars also allow for users to do pull ups next to each other and thereby compete or motivate each other.

Item no. FSW10401-0901

## General Product Information

Dimensions LxWxH	384 x 435 x 240 cm
Age Group	13+
Capacity	9 adults
Colour Options	 



Data is subject to change without prior notice.

# COMBI 4 PRO


FSW104



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



The connectors are made of die-cast aluminum, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



All bars intended for pull ups are made of solid, Ø32 mm x 138 cm, hot dip galvanized, S235JR steel bars. This diameter gives the right grip for everyone.



The handles offer 4 different heights to place the hands or feet; 48 cm, 76 cm, 104 cm and 132 cm, creating the opportunity to scale the difficulty of the exercise.



Post are made of Ø101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The surface is made of Ekogrip® panels, consisting of 15 mm polyethylene with a 3 mm top-layer of thermoplastic rubber. The Ekogrip® panels have a non-skid effect for comfortable and safe training at all weather circumstances.

Item no. FSW10401-0901

### Installation Information

Max. fall height	233 cm
Safety surfacing area	41.7 m <sup>2</sup>
Numbers of Installers (persons)	2
Total installation time	8
Excavation volume	0.35 m <sup>3</sup>
Concrete volume	0.1 m <sup>3</sup>
Footing Depth (Standard)	90 cm
Shipment Weight	311 kg
Anchoring options	In-ground ✓

### Warranty information

Galvanised structural parts	Lifetime
Post	10 Years
Connectors	10 Years
Panels	Lifetime
Spare parts guaranteed	10 Years




# COMBI 4 PRO


FSW104

Max fall height | Total height | Safety surfacing area

Max fall height | Total height



FSW10401  
\*233cm  
\*\*240cm  
\*\*\*41.7m<sup>2</sup>  
1:100



FSW10401  
1:100

[Click to see 1:100 ratio TOP VIEW](#)

[Click to see 1:100 ratio SIDE VIEW](#)