



### TECHNICAL DATA:


Not easy accessible device,  
according to standard EN 1176-1:2017

|                       |                      |
|-----------------------|----------------------|
| Device dimensions:    | 8,47 x 10,70m        |
| Device height:        | 3,90m                |
| Minimum space:        | 11,46x 14,62m        |
| Falling area:         | 102,26m <sup>2</sup> |
| Critical fall height: | 2,00m                |
| Foundations depth:    | -0,60m               |

The device according to EN 1176-1:2012  
Playground equipment and surfacing – Part 1:  
General safety requirements and test methods

Safety surfaces:  
sand, gravel, bark, synthetic surface  
- minimal thickness for loose particulate materials 200+100mm  
- synthetic surface according to critical fall height

Top view with falling area



## COMPONENTS:

|                                    |        |
|------------------------------------|--------|
| Tower without roof, platform 0,60m | 1 pc.  |
| Tower without roof, platform 0,90m | 3 pcs. |
| Tower without roof, platform 1,50m | 2 pcs. |
| Tower with roof, platform 0,90m    | 2 pcs. |
| Tower with roof, platform 1,20m    | 1 pc.  |
| Tower with roof, platform 1,50m    | 1 pc.  |
| Climbing wall 0,90m                | 1 pc.  |
| Climbing wall 1,50m                | 1 pc.  |
| Vertical ladder                    | 5 pcs. |
| Slide 1,50m                        | 1 pc.  |
| Slide 0,90m                        | 1 pc.  |
| Fireman's pole 1,50m               | 1 pc.  |
| Fireman's pole 0,90m               | 1 pc.  |
| Rope bridge                        | 1 pc.  |
| Arch bridge                        | 1 pc.  |
| Movable bridge                     | 1 pc.  |
| Horizontal ladder                  | 1 pc.  |
| Flip tube                          | 1 pc.  |

## MATERIALS:

|                           |  |
|---------------------------|--|
| Construction poles:       | steel square profiles with a cross-section of 80x80mm, galvanized, powder coated in gray |
| Anchors:                  | galvanized steel   |
| Flat decorative elements: | HDPE sheets, 15mm thick  |
| Platforms, gangways:      | waterproof formwork plywood, with non-slip layer, based on steel structure               |
| Steel elements:           | galvanized steel, powder coated  |
| Chains:                   | galvanized steel   |
| Surface of slide:         | stainless steel, 1,5 mm thick  |
| Horizontal ladder:        | sides made of HDPE board 15mm, rungs: stainless steel Ø25mm                              |
| Climbing walls:           | Shuttering waterproof plywood, climbing grips, based on resins                           |
| Ropes:                    | polypropylene braided with a steel, interconnected by plastic fasteners                  |
| Caps:                     | Plastic  |
| Foundations:              | concrete min. C12/15 standard  |



SATERNUS DISTRIBUTION Sp. z o.o.  
sp.k.  
ul. Nowa 32  
41-500 Chorzów, Poland

Certificateholder:  
Producer:  
Distributor:

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A.  
Saternus Production Sp. z o.o. sp. k.  
Saternus Distribution Sp. z o.o. sp. k.