



FunPoint, Ultimate

PCT802



| Item no. PCT802-0901 | |
|-----------------------------|---|
| General Product Information | |
| Dimensions LxWxH | 594x481x310 cm |
| Age group | 6+ |
| Play capacity (users) | 16 |
| Colour options |  |



The multi-layered and colorful play invitation of the FunPoint, Ultimate attracts children immensely. With richly varied play activities, the FunPoint, Ultimate invites children to explore and try out the many sensory play activities for longer durations. The mix of membranes and hammocks for seating stimulates meetings and supports social-

emotional development: The hammock provides a nice body pressure, and combined with the gently swaying movements, this provides a soothing atmosphere. The gently swaying hangout pod is another fine meeting point. Apart from their soothing effect, the gently swaying movements also train the sense of balance. The FunPoint, Ultimate offers

multiple tactile, visual and auditive sensory play items, with drums, moirée effect panels and not least a two-color, Drawing wall. This can be used to create patterns and leave signals. All in all, the FunPoint, Ultimate is a highly social space, that also offers room for individual play pursuits.



FunPoint, Ultimate

PCT802



Dichroic panels

Physical: hanging and leaning on the rope-suspended panels train muscles, balance and cross-coordination. **Social-Emotional:** twisting the panels to create colorful shadows encourage turn-taking and cooperation skills. **Cognitive:** wondering about, understanding and explaining the reasons for the color occurrence support logical thinking skills.



Drawing wall

Physical: stimulate fine motor skills and add sensory stimulation when leaning on them. This soothes or invigorates depending on intensity. **Social-Emotional:** the cooperation and turn-taking in making patterns from both sides supports social-emotional skills such as cooperation. **Creative:** the two-colored rollers can be used from both sides, inspiring signal-making and creativity.



Hangout pod

Physical: sitting and lying enjoying the swaying movements stimulate the sense of balance. **Social-Emotional:** meeting, taking a break is invited. Turn-taking supports the skills necessary to learn how to avoid conflicts.



Movable hammock

Physical: sense of balance when swaying, body pressure when lying. Support users lying or seated. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking. **Creative:** changing direction and position of hammock.




Transparency

Social-Emotional: the transparency makes possible cooperation and communication throughout, all important life-skills for children to learn.



Drums

Social-Emotional: cooperation and co-creation, parallel and group play. **Cognitive:** cause and effect understanding when creating sounds, supporting a sense of rhythm, that is essential for pre-reading skills. **Creative:** creating and leaving a mark with sound.



Criss-cross climber


Physical: cross coordination and muscle strength are developed when climbing and crawling across the unequally dispersed ropes. **Social-Emotional:** turn-taking and socializing skills are supported when sitting with friends or interacting across the net.

FunPoint, Ultimate

PCT802



Turnable optic panels of two 7mm thick polycarbonate plates with a distance of 40mm. The inside graphic print consist of an inner image layer and outer transparent protection layer. Both PC panel and the water-based lacquer are UV stabilized to prevent fading of the print.



The two colored turnable rollers are made of high quality UV stabilized and reinforced nylon (PA). The rollers are assembled on vertical steel pipes in a welded frame. All steel parts are hot dip galvanized.



Hangout pod designed with a welded frame of two steel rings which are hot dip galvanized and powder coated. The membrane consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance.



The percussion panel consist of 2 Conga Drums with PP tubes and top in colored ABS. The desk and support plates are made of 19mm EcoCore™.



The large adjustable hammock is made of two molded PUR units connected by steel brackets. The curved bars for hammocks are made of stainless steel to ensure durability and high corrosion resistance.



Steel posts are galvanized inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.

Item no. PCT802-0901

Installation Information

| | |
|--------------------------|--------------------------|
| Max. fall height | 152 cm |
| Safety surfacing area | 49.7 m ² |
| Total installation time | 20.5 |
| Excavation volume | 1.48 m ³ |
| Concrete volume | 0.04 m ³ |
| Footing depth (standard) | 90 cm |
| Shipment weight | 593 kg |
| Anchoring options | In-ground ✓ Surface ✓ |

Warranty Information

| | |
|--------------------------|----------|
| Galvanised/painted metal | 10 years |
| Hot dip galvanised steel | Lifetime |
| Polycarbonate PC panels | 10 years |
| PUR components | 10 years |
| Spare parts guaranteed | 10 years |



Sustainability Data

PCT802



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| PCT802-0901 | 1,542.11 | 3.53 | 43.30 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





FunPoint, Ultimate

PCT802

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)