


# Workout 4


ref. SW034AL




bragmaia®




**+6 Years**



**2.40 m**





**82 m<sup>2</sup>**






**x= 6.09  
y= 2.70  
z= 2.40**




Data Sheet







# Equipment Information:




.....	①
	2,40
	100
	100



## Technical Information:

- 1 - Wall Bars  2.40m
- 2 - Abdominal Crunch  0.90m
- 3 - Banco Abdominais  0.70m
- 4- Bars  2.30m



# Technical Characteristics:



**bragmaia®**

## Structure

**Aluminum:** 90x90x2.5mm profile alloy 6063 and T66 treatment, which is an alloy extrusion excellence, exhibits excellent corrosion resistance with good surface finish. The T66 treatment in which this alloy is solubilized, tempered and artificially aged, aims to improve its mechanical properties. This is supplied at natural color with the option of being lacquered RAL according to customer needs;

## Panels

**HDPE:** Monocolour/bicolour high density polyethylene. It is a polymer so it is characterized by its resistance to corrosion and chemical products. By its capacity of elasticity and lightweight, it offers high resistance to impacts, and, therefore, very difficult to break. The synthetic base prevents grow of bacterias and fungus. No need for maintenance;

## Metal parts

### Tubes:

**Stainless steel:** AISI 304, Ø40mm;

## Fixation System:

**Type C - Standard fixation system** composed by posts applied directly in the ground with concrete;

## Screws and accessories

**Screws:** Galvanized steel or optionally stainless steel AISI 304;

**Capsules:** PP Polypropylene plastic;



100% recyclable;

